

## Penicillin Quiz: questions and answers



- 1. Penicillin is a group of antibiotics with how many categories?
- 02
- Ο5
- 04
- 2. Penicillin is:
- O Fungal
- Bacterial
- O Viral

3. About how much of penicillin dose is cleared from the body within three to four hours of the administration?

- O 10%
- O 50%
- 0 80%

4. What is the method of administration of Penicillin V, phenoxymethylpenicillin?

- O By mouth
- O Intravenously
- O Intramuscular
- 5. Which of the following is a major fatal contradiction of using penicillin?
- O Blood hemorrhage
- O Anaphylactic reaction to ANY penicillin



## O Watery diarrhea

- 6. Which gram-positive bacteria without cell walls can be treated by penicillin?
- O Spheroplasts
- Cytolots
- O Protoplasts
- 7. Who discovered pencillin?
- O Marie Curie
- O Alexander Fleming
- O Louis Pasteur
- 8. When was penicillin made available to the general public in the U.S?
- 0 1945
- O 1967
- O 1956
- 9. Ticarcillin is a type of:
- O Aminopenicillins
- O Ureidopenicillins
- O Carboxypenicillins
- 10. Cholestatic Jaundice is mostly associated with which type of penicillin?
- O Amoxicillin
- Nafcillin
- Flucloxacillin



## Penicillin Quiz: questions and answers

## **Right answers**

1. Penicillin is a group of antibiotics with how many categories?

4

2. Penicillin is:

Bacterial

3. About how much of penicillin dose is cleared from the body within three to four hours of the administration?

80%

4. What is the method of administration of Penicillin V, phenoxymethylpenicillin? By mouth

5. Which of the following is a major fatal contradiction of using penicillin? Anaphylactic reaction to ANY penicillin

6. Which gram-positive bacteria without cell walls can be treated by penicillin? Protoplasts

7. Who discovered pencillin?

Alexander Fleming

8. When was penicillin made available to the general public in the U.S? 1945

9. Ticarcillin is a type of:

Carboxypenicillins

10. Cholestatic Jaundice is mostly associated with which type of penicillin? Flucloxacillin